



ELSEVIER

Colloids and Surfaces

A: Physicochemical and Engineering Aspects 115 (1996) ix–x

COLLOIDS
AND
SURFACES

A

Contents of Volume 115

(Special Issue: Proceedings of VII International Symposium on Magnetic Resonance in Colloid and Interface Science, 11–15 September 1995, held in Madrid, Spain)

Preface	vii
Characterization of director fluctuations in liquid crystals using the dipolar correlation effect of the stimulated echo F. Grinberg, R. Kimmich and E. Fischer (Ulm, Germany)	1
Aggregational process of the positively charged surfactants CTAC and CAT16 in the presence of starburst dendrimers: an electron paramagnetic resonance spectroscopic study M.F. Ottaviani (Florence, Italy), N.J. Turro, S. Jockusch (New York, NY, USA) and D.A. Tomalia (Midland, MI, USA)	9
Application of the spin probe method to cast films of amphiphiles Y. Iwamoto, K. Suga and M. Fujihira (Yokohama, Japan)	23
NMR relaxation study of collective motions and viscoelastic properties in biomembranes G. Althoff, N.J. Heaton, G. Gröbner, R.S. Prosser and G. Kothe (Stuttgart, Germany)	31
NMR characterization of self-association of a helical peptide using deuterium exchange experiments I. Fernández, J. Ubach, D. Andreu and M. Pons (Barcelona, Spain)	39
The initial stages of wheat (<i>Triticum aestivum</i> , L.) seed imbibition as observed by proton nuclear magnetic relaxation H. Harańczyk, K. Strzalka, G. Jasiński and K. Mosna-Bojarska (Cracow, Poland)	47
Investigation of water in normal and dehydrated rabbit lenses by ¹ H NMR and calorimetric measurements J. Bodurka (Bydgoszcz, Poland), G. Buntkowsky (Berlin, Germany), R. Olechnowicz, A. Gutsze (Bydgoszcz, Poland) and H.-H. Limbach (Berlin, Germany)	55
Effects of poly(ethylene glycol) on neutral lipid bilayers R. Bartucci, G. Montesano and L. Sportelli (Arcavacata di Rende, Italy)	63
Structural organization of N-acyl derivatives of egg phosphatidylethanolamine into bilayers: polymorphic and thermotropic studies A.M. Garcia, F. Rosell, M.L. Sagristá, M. Mora and M.A. de Madariaga (Barcelona, Spain)	73
Synthesis and NMR identification of isobutyl analogs of phospholipids designed for the modeling of biomembrane fragments V.A. Karasev, N.A. Korovnikova, V.A. Gindin and V.E. Stefanov (St. Petersburg, Russia)	83
DNA–ligand interaction detected by proton selective and non-selective spin–lattice relaxation rate analysis C. Bonechi, A. Donati, M.P. Picchi, C. Rossi and E. Tiezzi (Siena, Italy)	89
Molecular organization of hydrated dispersions of N-acylethanolamine phospholipids and mixtures with phosphatidylcholine J.C. Domingo and M. Africa de Madariaga (Barcelona, Spain)	97
Proton and deuterium field-cycling NMR relaxometry of liquids confined in porous glasses S. Stapf, R. Kimmich, R.-O. Seitter (Ulm, Germany), A.I. Maklakov and V.D. Skirda (Kazan, Russia)	107
Solid-state ¹³ C NMR study of β -cyclodextrin/substituted aromatic ketone complexes: evidence for two kinds of complexation of the guest molecules H. Sfihi, A.P. Legrand, J. Doussot and A. Guy (Paris, France)	115
Flow properties of cellulose fiber suspensions flocculated by cationic polyacrylamide T.-Q. Li and L. Ödberg (Stockholm, Sweden)	127
NMR relaxation in cellulose pulp B. Blicharska and M. Kluza (Krakow, Poland)	137
Heavy metal uptake of alginate gels studied by NMR microscopy N. Nestle and R. Kimmich (Ulm, Germany)	141

Coordination aggregates of bifunctional β -diphosphoryl compounds as studied by ^{31}P and ^{113}Cd NMR in solution N. Tréviot, G. Diou and L. Rodehüser (Vandoeuvre-les-nancy, France)	149
Continuous wave electron paramagnetic resonance spectroscopy in the investigation of the surface properties and chemical reactivity of an ionic oxide (MgO) E. Giamello, D. Murphy and M.C. Paganini (Torino, Italy)	157
Redox behaviour of copper(II) species on CuCe oxide catalysts: electron paramagnetic resonance (EPR) study A. Aboukais (Calais/Villeneuve d'Ascq, France), A. Bennani, C. Lamonier-Dulongpont (Villeneuve d'Ascq, France), E. Abi-Aad (Calais, France) and G. Wrobel (Villeneuve d'Ascq, France)	171
In-situ electron spin resonance study of vanadium phosphate catalysts during the selective oxidation of <i>n</i> -butane to maleic anhydride A. Brückner, B. Kubias, B. Lücke and R. Stöber (Berlin, Germany)	179
Nuclear magnetic resonance studies on supported vanadium oxide catalysts T. Blasco and J.M. López Nieto (Valencia, Spain)	187
The application of paramagnetic complexes of probe molecules for the investigation of the Lewis acidity of aluminas E.V. Lunina, M.N. Zacharova, G.L. Markaryan and A.V. Fionov (Moscow, Russian Federation)	195
Structure and magnetic resonance parameters of oxygen species on MgO surfaces. Modelling and quantum chemical investigations I.D. Mikhiekin, I.A. Abronin and I.K. Vorontsova (Moscow, Russia)	207
Electron paramagnetic resonance spectroscopy study of the adsorption of O_2 and CO on a $\text{Pt/CeO}_2/\text{Al}_2\text{O}_3$ catalyst J. Soria, A. Martínez-Arias, J.M. Coronado and J.C. Conesa (Madrid, Spain)	215
Synthesis of borosilicate-1 with high boron content from fluoride-containing media F. Testa, R. Chiappetta, F. Crea, R. Aiello (Rende, Italy), A. Fonseca and J.B. Nagy (Namur, Belgium)	223
Study of H-ZSM-5 acidity by ^1H NMR: broad-line at 4 K and high resolution MAS at 300K; Brønsted acidity scale and comparison with other zeolites L. Heeribout, P. Batamak, C. Dorémieux-Morin, R. Vincent and J. Fraissard (Paris, France)	229
Tetrameric silver clusters in rho zeolite stable above room temperature — ESR studies J. Michalik, J. Sadlo (Warsaw, Poland), J.-S. Yu (Taejon, South Korea) and L. Kevan (Houston, TX, USA)	239
Zeolite-encapsulated copper (II) complexes with N_3O_2 Schiff bases: synthesis and characterization I. Neves, C. Freire (Porto, Portugal), A.N. Zakhárov (Moscow, Russia), B. de Castro and J.L. Figueiredo (Porto, Portugal)	249
Cation environment and migration in iron-exchanged zeolite Na-Y studied by ESR E. Wloch, B. Sulikowski, R. Dula and E.M. Serwicka (Kraków, Poland)	257
Methods for the determination of molecular mobility of adsorbed molecules based on high resolution NMR U. Schwerk and D. Michel (Leipzig, Germany)	267
Electron paramagnetic resonance study of defects in oxidized and nitrated porous Si and $\text{Si}_{1-x}\text{Ge}_x$ H.J. von Bardeleben, M. Schoisswohl and J.L. Cantin (Paris, France)	277
ESR investigation of MoSi_2 powders used as reactive fillers in polymer-derived ceramics B. Hahn, S. Walter, R. Weissmann and P. Greil (Erlangen, Germany)	291
Electron paramagnetic resonance investigations of ammonia and aniline copper (II) complexes M. Łabanowska (Cracow, Poland), K.R. Żurowski (Kielce, Poland) and E. Bidzińska (Cracow, Poland)	297
Characterization of highly dispersed bimetallic Ni-Cu alloy particles by ferromagnetic resonance W. Mörke, T. Bieruta, J. Jarsetz (Merseburg, Germany), C. Görsmann (Würzburg, Germany) and U. Schubert (Vienna, Austria)	303
Paramagnetic point defects in silicon nitride and silicon oxynitride thin films on silicon W.L. Warren (Albuquerque, NM, USA), J. Kanicki (Ann Arbor, MI, USA) and E.H. Poindexter (Fort Monmouth, NJ, USA)	311
Magic angle spinning-nuclear magnetic resonance characterisation of nanometric Si/C/N powders formed by laser spray pyrolysis Y.E. Kortobi, H. Sfihi, A.P. Legrand (Paris, France), E. Musset, N. Herlin and M. Cauchetier (Yvette, France)	319
Author Index	329
Subject Index	331

